



Europäisches  
Patentamt

European  
Patent Office

Office européen  
des brevets

PCT/KR 03/00760

RO/KR 11.08.2003

REC'D 26 AUG 2003

WIPO

PCT

Bescheinigung

Certificate

Attestation

Die angehefteten Unterla-  
gen stimmen mit der  
ursprünglich eingereichten  
Fassung der auf dem näch-  
sten Blatt bezeichneten  
europäischen Patentanmel-  
dung überein.

The attached documents  
are exact copies of the  
European patent application  
described on the following  
page, as originally filed.

Les documents fixés à  
cette attestation sont  
conformes à la version  
initialement déposée de  
la demande de brevet  
européen spécifiée à la  
page suivante.

Patentanmeldung Nr. Patent application No. Demande de brevet n°

02008539.5

BEST AVAILABLE COPY

**PRIORITY DOCUMENT**  
SUBMITTED OR TRANSMITTED IN  
COMPLIANCE WITH  
RULE 17.1(a) OR (b)

Der Präsident des Europäischen Patentamts;  
Im Auftrag

For the President of the European Patent Office

Le Président de l'Office européen des brevets  
p.o.

R C van Dijk



Anmeldung Nr:  
Application no.: 02008539.5  
Demande no:

Anmeldetag:  
Date of filing: 15.04.02  
Date de dépôt:

Anmelder/Applicant(s)/Demandeur(s):

Yang, Jung Wook  
104-520, 1st Hyundai Apt.,  
603-10, Wadong-ri,  
Keohwa-eub  
Paju-si,  
Kyungki-do  
REPUBLIQUE DE COREE

Bezeichnung der Erfindung/Title of the invention/Titre de l'invention:  
(Falls die Bezeichnung der Erfindung nicht angegeben ist, siehe Beschreibung.  
If no title is shown please refer to the description.  
Si aucun titre n'est indiqué se referer à la description.)

Device for cooling object

In Anspruch genommene Priorität(en) / Priority(ies) claimed / Priorité(s)  
revendiquée(s)  
Staat/Tag/Aktenzeichen/State/Date/File no./Pays/Date/Numéro de dépôt:

Internationale Patentklassifikation/International Patent Classification/  
Classification internationale des brevets:

F25D/

Am Anmeldetag benannte Vertragsstaaten/Contracting states designated at date of  
filing/Etats contractants désignées lors du dépôt:

AT BE CH CY DE DK ES FI FR GB GR IE IT LI LU MC NL PT SE TR

**PRIORITY DOCUMENT**  
SUBMITTED OR TRANSMITTED IN  
COMPLIANCE WITH  
RULE 17.1(a) OR (b)

15. April 2002

## DEVICE FOR COOLING OBJECT

The invention relates to a device for cooling an object, as defined in the preamble of claim 1. Such a device is known EP 0 526 928 B1.

At the present several devices for cooling an object are known. One type of a known device for cooling an object comprises a rigid receptacle for receiving the object. The receptacle is double walled, wherein a temperature fluid is trapped between an inner and outer wall.

A second type of a known device for cooling an object comprises a bag containing a cooling liquid or alike. The bag may be applied on or around the object.

A device according the first type referred to above has as major disadvantage that it is rather clumsy and space consuming. Generally such a device is only well suited for cooling one type of objects having specific dimension.

Although a device according to the second type mentioned above is more flexible in its use, a major disadvantage is its disability to direct the cold only to the object to be cooled and not to the surroundings.

For solving the disadvantages, there is known one invention disclosed in EP 0 526 928 B1 which comprises a deformable sleeve-like body which includes an inner compartment intended to contact the object and housing a non-freezing cooling liquid and an outer compartment surrounding the inner compartment and housing an insulator, wherein the sleeve-like body has a variable inner diameter, which allows an adjustment thereof to objects having

different outer dimensions, and wherein the insulator includes a compressible resilient material, and the outer compartment is communicated with the surroundings through at least one opening.

5           If the device is applied around the object having an outer diameter necessitating a larger inner diameter of the sleeve-like body the inner compartment contacting the object is pressed outwardly, such that the outer compartment is deformed while compressing the resilient  
10 material. The air in the outer compartment is vented through the opening. Therefore, the compressible resilient material on the one hand enables a change of the inner diameter of sleeve-like body and on the hand ensures, through its resiliency, a positive engagement of the inner  
15 wall of the inner compartment on the object to be cooled. Deforming the outer compartment is made possible by the opening, allowing the air to escape. If the object is removed from the sleeve-like body the resilient material will resume its original shape and air is sucked in through  
20 the opening.

          Unfortunately, the device has the disadvantage that, air in the outer compartment can not be easily and rapidly vented through the opening because tearing may be occurred in the outer compartment, for example from the opening  
25 provided in the outer compartment due to feature of itself material, that is feature of elastic foil, so that number and size of the opening are limited.

          Further, the device has the disadvantage that, water drops may be condensed on an outer surface of the outer  
30 compartment since the outer compartment has no water

absorption property although the outer wall of the outer compartment is made of a material having low heat transferability.

Accordingly, it is the object of this invention to  
5 provide a new and improved device for cooling an object in which the disadvantages of the known device have been avoided.

The object can be achieved by a device for cooling an object according to the present invention, which comprises  
10 a deformable sleeve-like body which includes an inner compartment intended to contact the object and housing a non-freezing cooling liquid and an outer compartment surrounding the inner compartment and housing an insulator, wherein the sleeve-like body has a variable inner diameter,  
15 which allows an adjustment thereof to objects having different outer dimensions, and wherein the insulator includes a compressible resilient material, characterized in that the outer compartment is manufactured of cloth having air-permeability, elasticity and water absorption  
20 property.

Fig. 1 shows in a perspective view an embodiment of the device according to the invention.

Fig. 2 shows on a larger scale, the device fig. 1 in an elevational view.

25 Fig. 3 shows a cross-sectional view according to III-III in fig. 2.

Fig. 4 shows a cross-sectional view of fig. 3, after the device has been positioned around an object.

The device for cooling an object shown in fig. 1  
30 consists of a deformable sleeve-like body 1. A bottle 2

shown by dotted line in fig. 1 has been indicated around which this sleeve-like body 1 may be positioned.

As clearly illustrated in fig. 3, the sleeve-like body 1 comprises a number of inner compartments 3. Further  
5 the sleeve-like body 1 comprises six outer compartments 4.

The inner compartments 3 and outer compartments 4 are separated by a partition wall 5. Each inner compartment 3 accommodates a non-freezing cooling liquid and each outer compartment 4 accommodates an insulator 7 made of a  
10 compressible resilient material, such polyester foam. The outer compartments 4 are manufactured of cloth having air-permeability, elasticity and water absorption property.

In the state of fig. 1, the sleeve-like body 1 is in a relax position and not positioned around an object such  
15 as the bottle 2 to be cooled. In this position, the compressible resilient material 7 is expanded, whereas the inner compartments 3 extend inwardly from the sleeve-like body 1.

If the cooling device according to the invention is  
20 positioned around the bottle 2, the inner compartments 3 are pressed outwardly by contacting with the bottle 2. Because of the fact that the volume of the cooling liquid does not change the partition wall 5 is pushed outwardly together with the inner compartments 3. The outer wall 8 of  
25 the outer compartments 4 will resist the outwardly directing movement, so that the resilient material 7 housed in the outer compartments 4 will be compressed between the inner compartments 3 and the outer compartments 4, as shown in fig. 4. The amount of outward movement of the inner  
30 compartments 3 and thus the amount of the compression of

the resilient material 7 will depend on the diameter of the bottle 2.

Because of the resiliency of the resilient material 7, the inner wall 9 of the inner compartments 3 contacts closely with the outer surface of the bottle 2, as shown in fig. 3. Therefore, an effective heat transfer occurs between the inner wall 9 of the inner compartments 3 and the bottle 2.

When the resilient material 7 is compressed, air contained in the outer compartments 4 escapes from the entire outer surface thereof while the outer compartments 4 made of cloth having elasticity is slightly extended, since the outer compartments 4 are manufactured with cloth having air-permeability, according to the invention.

For collecting drops of condensating water, the sleeve-like body 1 may be neat to its end 12 be provided with an inwardly extending collar (not shown). Further, since the outer compartments 4 are manufactured of clothe having water absorption property, water drops can be condensed on the outer compartments 4.

As known from the above, the device for cooling an object according to the invention is manufactured cloth along with plastic foils available on the markets. For creating these compartments 3, 4, cloth for forming the outer compartments 4 and plastic foils for forming the inner compartments 3 are welded together at welding lines 13. Directly adjacent to these welding lines 13, the inner compartments 3 may be partly evacuated, such that they are not completely filled with cooling liquid. This enhances the deformity of the sleeve-like body 1.

Preferably, the inner wall 9 of the inner compartments 3 is manufactured of a thin material having excellent heat transferability, whereas the outer compartments 4 are manufactured of a material such as cloth having low heat transferability. Further, it is preferable that inner wall 9 of the inner compartments 3 is manufactured of an elastic material.

Further, the device of the present invention is continually in direct intimate contact with and places pressure upon the object which is to be cooled. The cooling period can also be controlled by the manner in which the inner wall of the inner compartments contacts the object to be cooled. The less the elements are pressed against the object the longer the cooling cycle. As pointed out, the compartments may be designed to fit a single diameter or outer shape of a bottle or can or maybe flexible to accommodate several different sizes. If desired, temperature sensitive print could be placed on the sleeve-like body that change color within a certain temperature range to provide an indication of the temperature being transferred to the object which is being cooled.

As the above mentioned, according to the invention, since the outer compartments are manufactured of cloth having air-permeability, elasticity and water absorption property, it is possible to prevent the outer compartments from tearing and to prevent water drops from condensing on the outer compartments.

It will be apparent that many applications will lend themselves to utilization of this invention. Although the invention is particularly suited for cooling canned or



bottled beverages, the invention could be utilized for keeping items warm and in medical applications for applying heating or cool compresses to an area of an injured victim.

5 Since other changes and modifications varied to fit particular operating requirements and environments will be apparent to those skilled in the art, the invention is not considered limited to the examples chosen for purposes of illustration, and includes all changes and modifications which do not constitute a departure from the true spirit  
10 and scope of this invention as claimed in the following claims and equivalents thereto.

Claims

1. Device for cooling an object according to the present invention, which comprises a deformable sleeve-like body (1) which includes an inner compartment (3) intended  
5 to contact the object and housing a non-freezing cooling liquid and an outer compartment (4) surrounding the inner compartment and housing an insulator, wherein the sleeve-like body has a variable inner diameter, which allows an adjustment thereof to objects having different outer  
10 dimensions, and wherein the insulator includes a compressible resilient material, characterized in that the outer compartment is manufactured of cloth having air-permeability, elasticity and water absorption property.

15. April 2002

## Abstract

Device for cooling an object according to the present invention, which comprises a deformable sleeve-like body (1) which includes an inner compartment (3) intended to contact the object and housing a non-freezing cooling liquid and an outer compartment (4) surrounding the inner compartment and housing an insulator, wherein the sleeve-like body has a variable inner diameter, which allows an adjustment thereof to objects having different outer dimensions, and wherein the insulator includes a compressible resilient material. The outer compartment is manufactured of cloth having air-permeability, elasticity and water absorption property.

Fig.1




Fig.2




Fig.3





Fig. 4



BEST AVAILABLE COPY

## Philips Intellectual Property & Standards

P.O. Box 220, 5600 AE Eindhoven, The Netherlands

European Patent Office  
Patentlaan 2  
2288 EE RIJSWIJK

Tel: +31 40 27 43444  
Fax: +31 40 27 43489

EPO - DG 1

24.07.2003



Ref: PHNL021026EP-P  
ES  
Date: July 22, 2003

Re: European Patent Application No.: 02079282.6

Please send two certified copies of the above-mentioned European patent application to us.  
The indebted administrative fee may be deducted from our deposit account no. 28090021 in  
Munich.

Yours faithfully,  
PHILIPS INTERNATIONAL B.V.  
Intellectual Property & Standards

J.L. van der Veer  
The Professional Representative

Philips International B.V.  
Philips Intellectual Property & Standards  
Office address: Prof. Holstlaan 6, Building WAH  
5656 AA Eindhoven, The Netherlands  
Tel +31 40 279 11 11  
Fax +31 40 274 34 89  
Commercial Register Eindhoven no. 17047664

BEST AVAILABLE COPY